# Author index


Adner, N. *see* Gutniak, M.K.
Ahlberg, A.-C. *see* Ljung, T.
Ahrén, B. *see* Gutniak, M.K.
Aizawa, T. *see* Yamada, T.
Åkerström, G. *see* Correa, P.
Algra, A. *see* Kemmeren, J.M
Alonso, V. *see* Corella, D.
Anderson, D.R. *see* Wells, P.S.
Andersson, B. *see* Ljung, T.
Andoh, A. *see* Tasaki, K.
Andreasen, F. *see* Rejnmark, L.
Angelin, B. *see* Holm, G.
Apelqvist, J. *see* Norlund, A.
Armstrong, L. *see* Mohamed-Ali, V.
Arnadottir, M. *see* Hardarson, A.
Arnesen, H. *see* Guzic-Salobir, B.
Asplund, K. *see* Nilsson, M.
Asplund, K. Snuff – how dangerous is it? The controversy continues, 457
Avanzati, A. *see* Nuti, R.

Baggiolini, M. Chemokines in pathology and medicine, 91
Balkrishnan, R. & Furberg, C.D. Developing an optimal approach to global drug safety, 271
Bamba, M. *see* Tasaki, K.
Bamba, T. *see* Tasaki, K.
Barnes, D. *see* Wells, P.S.
Bellacicco, M. *see* Pannacciulli, N.
Berg, A.-L. *see* Hardarson, A.
Berg, G. *see* Milakovic, M.
Berglund, G. *see* Nilsson, P.
Berglund, G. *see* Nilsson, P.M.
Bergrem, H. *see* Göransson, L.G.
Bhalla, A., Wolfe, C.D.A. & Rudd, A.G. The effect of 24 h blood pressure levels on early neurological recovery after stroke, 121
Bitzén, P.-O *see* Norlund, A.
Björntorp, P. *see* Ljung, T.
Blomberg, P. *see* Sarkar, N.
Bokemark, L. *see* Wallenfeldt, K.
Bolton, C.H. *see* Mohamed-Ali, V.
Bornschein, S., Förstl, H. & Zilker, T. Idiopathic environmental intolerances (formerly multiple chemical sensitivity) psychiatric perspectives, 309
Böttiger, L.E. Drug safety – important to us all!, 269
Brodin, L.-Å. *see* Sarkar, N.
Brørs, O. *see* Buajordet, I.
Buajordet, I., Ebbesen, J., Erikssen, J., Brørs, O. & Hilberg, T. Fatal adverse drug events: the paradox of drug treatment, 327
Burckhardt, P. *see* Lamy, O.

Camm, A.J. *see* Savelieva, I.
Cantatore, F.P. *see* Pannacciulli, N.
Carling, T. *see* Correa, P.
Carlsson, A. *see* Nilsson, T.
Cheema, P., El-Mefty, O. & Jazieh, A.R. Intraoperative haemorrhage associated with the use of extract of Saw Palmetto herb: a case report and review of literature, 167
Chin, B.S.P., Kharim, S., Ghaffar, A., Rehman, A. & Lip, G.Y.H. Secondary prevention of cardiovascular disease and diabetes: still suboptimal in patients with myocardial infarction, 180
Clarke, D. *see* Mohamed-Ali, V.
Cominacini, L. *see* Quiñones-Galvan, A.
Corella, D., Guillén, M., Portolés, O., Sorlí, J.V., Alonso, V., Folch, J. & Sáiz, C. Gender specific associations of the Trp64Arg mutation in the $\beta_3$-adrenergic receptor gene with obesity-related phenotypes in a Mediterranean population: interaction with a common lipoprotein lipase gene variation, 348
Correa, P., Lundgren, E., Rastad, J., Åkerström, G., Westin, G. & Carling, T. The NciI polymorphism in the cyclin D1 gene and sporadic primary hyperparathyroidism, 516

Dahlén, G.H. & Ekstedt, B. The importance of the relation between lipoprotein(a) and lipids for development of atherosclerosis and cardiovascular disease, 265
Dallongeville, J. *see* Hardarson, A.
De Becker, P., McGregor, N. & De Meirleir, K. A definition-based analysis of symptoms in a large cohort of patients with chronic fatigue syndrome, 234
De Gendt, C. *see* Kamphuisen, P.W.
De Meirleir, K. *see* De Becker, P.
De Pergola, G. *see* Pannacciulli, N.
Di Cairano, G. *see* Loré, F.
Druker, B.J. *see* O'dwyer, M.E.
Drvota, V. *see* Sarkar, N.

Ebbesen, J. *see* Buajordet, I.
Egeblad, H. *see* Svendstrup, L.
Egermayer, P. Differences in the rate of anticoagulant complications between routine practice and controlled prospective trials, 258
Eggertsen, R. *see* Milakovic, M.
Ekbom, A. *see* Rastad, J.
Eklund, A. *see* Grunewald, J.
Ekstedt, B. *see* Dahlén, G.H.
Eliopoulos, G. *see* Palmblad, J.
El-Mefty, O. *see* Cheema, P.
Engström, G. *see* Tydén, P.
Eriksen, B.O., Kristiansen, I.S. & Pape, J.Fr. Prediction of five-year survival for patients admitted to a department of internal medicine, 435
Erikssen, J. *see* Buajordet, I.
Eriksson, E. *see* Ljung, T.

de Faire, U. *see* Holm, G.
Fagerberg, B. *see* Wallenfeldt, K.
Fagrell, B. *see* Holm, G.
Ferrannini, E. *see* Quiñones-Galvan, A.
Folch, J. *see* Corella, D.
Förstl, H. *see* Bornschein, S.
Frandsen, J. *see* Huitfeldt, S.
Franzoni, F. *see* Quiñones-Galvan, A.
Franzson, L. *see* Sigurdsson, G.
Fratta-Pasini, A. *see* Quiñones-Galvan, A.
Friberg, P. *see* Ljung, T.
Frick, M. *see* Frykman, V.
Frykman, V., Frick, M., Jensen-Urstad, M., Östergren, J. & Rosenqvist, M. Asymptomatic versus symptomatic persistent atrial fibrillation: clinical and noninvasive characteristics, 390
Fujiyama, Y. *see* Tasaki, K.
Furberg, C.D. *see* Balkrishnan, R.
Furukawa, K. *see* Ishida, S.

Galetta, F. *see* Quiñones-Galvan, A.
Garbin, U. *see* Quiñones-Galvan, A.
Gent, M. *see* Wells, P.S.
Ghaffar, A. *see* Chin, B.S.P.
Ginsberg, J.S. *see* Wells, P.S.
Giorgino, R. *see* Pannacciulli, N.
Giovani, S. *see* Nuti, R.


© 2001 Blackwell Science Ltd

Goransson, L.G. & Bergrem, H. Consequences of late referral of patients with end-stage renal disease, 154
Grobbee, D.E. *see* Kemmeren, J.M.
Grønbæk, M. Factors influencing the relation between alcohol and mortality – with focus on wine, 291
Groop, L. & Orho-Melander, M. The dysmetabolic syndrome, 105
Grunewald, J. & Eklund, A. Specific bronchoalveolar lavage fluid T cells associate with disease in a pair of monozygotic twins discordant for sarcoidosis, 535
Guillén, M. *see* Corella, D.
Guindi, M.M. *see* Punthakee, Z.
Gustafson, R. *see* Karlström, R.
Gutniak, M.K., Svartberg, J., Hellström, P.M., Holst, J.J., Adner, N. & Ahrén, B. Antidiabetogenic action of glucagon-like peptide-1 related to administration relative to meal intake in subjects with type 2 diabetes, 81
Guzic-Salobir, B., Keber, I., Seljeflot, I., Arnesen, H. & Vrabic, L. Combined hormone replacement therapy improves endothelial function in healthy postmenopausal women, 508

Hansen, O. *see* Tydén, P.
Hardarson, A., Sigurdsson, G., Olafsdottir, E., Dallongeville, J., Berg, A.-L. & Arnadottir, M. Adrenocorticotrophic hormone exerts marked lipid-lowering effects in simvastatin-treated patients, 530
Hashizume, K. *see* Yamada, T.
Hedblad, B. *see* Nilsson, P.
Hedblad, B. *see* Tydén, P.
Heickendorff, L. *see* Rejnmark, L.
Hellström, P.M. *see* Gutniak, M.K.
Hernell, O. *see* Lagerqvist, C.
Hilberg, T. *see* Buajordet, I.
Hirai, A. *see* Shikama, N.
Hirsh, J. *see* Wells, P.S.
Holm, G. Angelin, B., Fagrell, B., De Faire, U. & Ljunghall, S. Renewal of the journal, 1
Holm, G. *see* Ljung, T.
Holst, J.J. *see* Gutniak, M.K.
Hsieh, C.-C. *see* Rastad, J.
Huitfeldt, S., Poulsen, I., Noer, J.E., Møller, T.E., Knudsen, J., Lundbye, J. & Frandsen, J. Clinical outcome of patients with suspected pulmonary embolism. A follow-up study of 588 consecutive patients, 137
Hultcrantz, R. *see* Kinnman, N.
Hulthe, J. *see* Wallenfeldt, K.
Hultin, H. *see* Rastad, J.

Ingelman-Sundberg, M. Pharmacogenetics: an opportunity for a safer and more efficient pharmacotherapy, 186
Ishida, S., Isotani, H., Furukawa, K. & Kuhara, T. Homocystinuria due to cystathionine β-synthase deficiency associated with megaloblastic anaemia, 453
Islam, K.B. *see* Sarkar, N.
Isono, A. *see* Shikama, N.
Isotani, H. *see* Ishida, S.
Ivarsson, A. *see* Lagerqvist, C.

Jansen, T.L.Th.A. *see* Kamphuisen, P.W.
Janssen, M. *see* Kamphuisen, P.W.
Janzon, L. *see* Tydén, P.
Jazieh, A.R. *see* Cheema, P.
Jensen-Urstad, K. & Johansson, J. Gender difference in age-related changes in vascular function, 29
Jensen-Urstad, M. *see* Frykman, V.
Jenzer-Closuit, A. *see* Lamy, O.
Johansson, J. *see* Jensen-Urstad, K.
Johansson, S.-E. *see* Messerer, M.
de Jong, A.J.L. *see* Kamphuisen, P.W.
Juto, P. *see* Lagerqvist, C.
Juvonen, J.T. *see* Mattila, K.J.

Källner, G. *see* Sarkar, N.
Kamphuisen, P.W., Jansen, T.L.Th.A., De Gendt, C., De Jong, A.J.L. & Janssen, M. Two years of penicillin prophylaxis is sufficient to prevent clinically evident carditis in poststreptococcal reactive arthritis, 449
Karlström, R., Gustafson, R. & Palmblad, J. Chronic mild neutropenia in adults: relation to IgG3 deficiency and infection susceptibility, 342
Kearon, C. *see* Wells, P.S.
Keber, I. *see* Guzic-Salobir, B.
Kemmeren, J.M. Algra, A. & Grobbee, D.E. Effect of second and third generation oral contraceptives on lipid metabolism in the absence or presence of the factor V Leiden mutation, 441
Kharim, S. *see* Chin, B.S.P.
Kinnman, N. & Hultcrantz, R. Lipid lowering medication and hepatotoxicity, 183
Knudsen, J. *see* Huitfeldt, S.
Komatsu, M. *see* Yamada, T.
Komiya, I. *see* Yamada, T.
Kotamäki, M.K. *see* Mattila, K.J.
Koyama, S. *see* Tasaki, K.
Kristiansen, I.S. *see* Eriksen, B.O.
Kuhara, T. *see* Ishida, S.

Lagerqvist, C., Ivarsson, A., Juto, P., Persson, L.Å. & Hernell, O. Screening for adult coeliac disease – which serological marker(s) to use?, 241
Lambe, M. *see* Rastad, J.
Lamy, O., Jenzer-Closuit, A. & Burckhardt, P. Hypercalcaemia of malignancy: an undiagnosed and undertreated disease, 73
Lange, P. *see* Ringbaek, T.J.
Lappas, G. *see* Wilhelmsen, L.
Lind, B. *see* Sarkar, N.
Lindblom, D. *see* Sarkar, N.
van der Linden, J. *see* Sarkar, N.
Lindstedt, G. *see* Milakovic, M.
Lip, G.Y.H. *see* Chin, B.S.P.
Ljung, T., Ahlberg, A.-C., Holm, G., Friberg, P., Andersson, B., Eriksson, E. & Björntorp, P. Treatment of abdominally obese men with a serotonin reuptake inhibitor: a pilot study, 219
Ljunghall, S. *see* Holm, G.
Loré, F., Talidis, F., Di Cairano, G. & Renieri, A. Multiple endocrine neoplasia type 2 syndromes may be associated with renal malformations, 37
Lund, S. *see* Vestergaard, H.
Lundbye, J. *see* Huitfeldt, S.
Lundgren, E. *see* Correa, P.
Lundgren, E. *see* Rastad, J.

McGregor, N. *see* De Becker, P.
Måre, K. *see* Nilsson, T.
Martini, G. *see* Nuti, R.
Mattila, K.J., Juvonen, J.T., Kotamäki, M.K. & Saikku, P.A. *Chlamydia pneumoniae* and luminal narrowing after coronary angioplasty, 67
Messerer, M., Johansson, S.-E. & Wolk, A. Use of dietary supplements and natural remedies increased dramatically during the 1990s, 160
Milakovic, M., Berg, G., Eggertsen, R., Lindstedt, G. & Nyström, E. Screening for thyroid disease of 15–17-year-old schoolchildren in an area with normal iodine intake, 208
Minenna, A. *see* Pannacciulli, N.
Mohamed-Ali, V., Armstrong, L., Clarke, D., Bolton, C.H. & Pinkney, J.H. Evidence for the regulation of levels of plasma adhesion molecules by proinflammatory cytokines and their soluble receptors in type-1 diabetes, 415

Moller, T.E. *see* Huitfeldt, S.
Mosekilde, L. *see* Rejnmark, L.

Natali, A. *see* Quiñones-Galvan, A.
Nielsen, J. *see* Svendstrup, L.
Niklasson, U. *see* Svensson, P.
Nilsson, J.-Å. *see* Nilsson, P.
Nilsson, M., Trehn, G. & Asplund, K. Use of complementary and alternative medicine remedies in Sweden. A population-based longitudinal study within the northern Sweden MONICA Project, 225
Nilsson, P., Nilsson, J.-Å., Hedblad, B. & Berglund, G. Sleep disturbance in association with elevated pulse rate for prediction of mortality – consequences of mental strain?, 521
Nilsson, P.M. & Berglund, G. Reply to Chin *et al.*, 182
Nilsson, T., Måre, K. & Carlsson, A. Value of structured clinical and scintigraphic protocols in acute pulmonary embolism, 213
Noer, J.E. *see* Huitfeldt, S.
Norlund, A., Apelqvist, J., Bitzén, P.-O, Nyberg, P. & Scherstén, B. Cost of illness of adult diabetes mellitus underestimated if co-morbidity is not considered, 57
Nuti, R., Martini, G., Valenti, R., Giovani, S., Salvadori, S. & Avanzati, A. Prevalence of undiagnosed coeliac disease in osteoporotic women, 361
Nyberg, P. *see* Norlund, A.
Nygren, A.T. *see* Sarkar, N.
Nyman, U. *see* Sterner, G.
Nyström, E. *see* Milakovic, M.

O'Dwyer, M.E. & Druker, B.J. Chronic myelogenous leukaemia – new therapeutic principles, 3
Olafsdottir, E. *see* Hardarson, A.
Olsson, S.B. Atrial fibrillation – where do we stand today?, 19
Ooi, T.C. *see* Punthakee, Z.
Orho-Melander, M. *see* Groop, L.
Östergren, J. *see* Frykman, V.
Östergren, J. *see* Svensson, P.
Otsuka, Y. *see* Shikama, N.

Palmblad, J. *see* Karlström, R.
Palmblad, J., Papadaki, H.A. & Eliopoulos, G. Acute and chronic neutropenias. What is new?, 476
Pannacciulli, N., Cantatore, F.P., Minenna, A., Bellacicco, M., Giorgino, R. & De Pergola, G. Urinary albumin excretion is independently associated with C-reactive protein levels in overweight and obese nondiabetic premenopausal women, 502
Papadaki, H.A. *see* Palmblad, J.
Pape, J.Fr. *see* Eriksen, B.O.
Pedersen, O. *see* Vestergaard, H.
Persson, L.Å. *see* Lagerqvist, C.
Pinkney, J.H. *see* Mohamed-Ali, V.
Portolés, O. *see* Corella, D.
Poulsen, I. *see* Huitfeldt, S.
Pucciarelli, A. *see* Quiñones-Galvan, A.
Punthakee, Z., Scully, L.J., Guindi, M.M. & Ooi, T.C. Liver fibrosis attributed to lipid lowering medications: two cases, 249

Quiñones-Galvan, A., Pucciarelli, A., Fratta-Pasini, A., Garbin, U., Franzoni, F., Galetta, F., Natali, A., Cominacini, L. & Ferrannini, E. Effective blood pressure treatment improves LDL-cholesterol susceptibility to oxidation in patients with essential hypertension, 322

Rastad, J. *see* Correa, P.
Rastad, J., Ekbom, A., Hultin, H., Wuu, J., Lundgren, E., Hsieh, C.-C. & Lambe, M. Childbearing and the risk of parathyroid adenoma – a dominant cause for primary hyperparathyroidism, 43
Rehman, A. *see* Chin, B.S.P.
Rejnmark, L., Vestergaard, P., Heickendorff, L., Andreasen, F. & Mosekilde, L. Effects of thiazide- and loop-diuretics, alone or in combination, on calcitropic hormones and biochemical bone markers: a randomized controlled study, 144
Renieri, A. *see* Loré, F.
Ringbaek, T.J., Lange, P. & Viskum, K. Are patients on long-term oxygen therapy followed up properly? Data from the Danish Oxygen Register, 131
Rosenberg, S.A. Progress in the development of immunotherapy for the treatment of patients with cancer, 462
Rosengren, A. *see* Wilhelmsen, L.
Rosenqvist, M. *see* Frykman, V.
Rück, A. *see* Sarkar, N.
Rudd, A.G. *see* Bhalla, A.

Saikku, P.A. *see* Mattila, K.J.
Sáiz, C. *see* Corella, D.
Salvadori, S. *see* Nuti, R.
Sarkar, N., Rück, A., Källner, G., Y-Hassan, S., Blomberg, P., Islam, K.B., van der Linden, J., Lindblom, D., Nygren, A.T., Lind, B., Brodin, L.-Å., Drvota, V. & Sylvén, C. Effects of intramyocardial injection of phVEGF-$A_{165}$ as sole therapy in patients with refractory coronary artery disease – 12 month follow-up. Angiogenic gene therapy, 373
Sasaki, M. *see* Tasaki, K.
Sato, A. *see* Yamada, T.
Savelieva, I. & Camm, A.J. Clinical trends in atrial fibrillation at the turn of the millennium, 369
Sawicki, P.T. & Siebenhofer, A. Betablocker treatment in diabetes mellitus, 11
Scherstén, B. *see* Norlund, A.
Schulman, S. Author's reply, 260
Scully, L.J. *see* Punthakee, Z.
Seljeflot, I. *see* Guzic-Salobir, B.
Shikama, N., Isono, A., Otsuka, Y., Terano, T. & Hirai, A. A case of POEMS syndrome with high concentrations of interleukin-6 in pericardial fluid, 170
Shintani, Y. *see* Tasaki, K.
Siebenhofer, A. *see* Sawicki, P.T.
Sigurdsson, G. & Franzson, L. Increased bone mineral density in a population-based group of 70-year-old women on thiazide diuretics, independent of parathyroid hormone levels, 51
Sigurdsson, G. *see* Hardarson, A.
Sorli, J.V. *see* Corella, D.
Sterner, G., Nyman, U. & Valdes, T. Low risk of contrast-medium-induced nephropathy with modern angiographic technique, 429
Svanegaard, P. *see* Svendstrup, L.
Svartberg, J. *see* Gutniak, M.K.
Svendstrup, L., Nielsen, J., Svanegaard, P., Wiggers, H. & Egeblad, H. The yield of a diagnostic hospital dyspnoea clinic for the primary health care section, 422
Svensson, P., Niklasson, U. & Östergren, J. Episodes of ST-segment depression is related to changes in ambulatory blood pressure and heart rate in intermittent claudication, 398
Sylvén, C. *see* Sarkar, N.

Talidis, F. *see* Loré, F.
Tasaki, K., Sasaki, M., Bamba, M., Shintani, Y., Andoh, A., Tsujikawa, T., Koyama, S., Fujiyama, Y. & Bamba, T. A case of toxic shock-like syndrome presenting with serious hypoproteinemia because of a protein-losing gastroenteropathy, 174
Terano, T. *see* Shikama, N.
Terry, J.B. *see* Terry, P.

Terry, P., Terry, J.B. & Wolk, A. Fruit and vegetable consumption in the prevention of cancer: an update, 280
Trehn, G. *see* Nilsson, M.
Tsujikawa, T. *see* Tasaki, K.
Tydén, P., Engström, G., Hansen, O., Hedblad, B. & Janzon, L. Geographical pattern of female deaths from myocardial infarction in an urban population: fatal outcome out-of-hospital related to socio-economic deprivation, 201

Valdes, T. *see* Sterner, G.
Valenti, R. *see* Nuti, R.
Vestergaard, H., Lund, S. & Pedersen, O. Rosiglitazone treatment of patients with extreme insulin resistance and diabetes mellitus due to insulin receptor mutations has no effects on glucose and lipid metabolism, 406
Vestergaard, P. *see* Rejnmark, L.
Viskum, K. *see* Ringbaek, T.J.
Vrabic, L. *see* Guzic-Salobir, B.

Wallenfeldt, K., Hulthe, J., Bokemark, L., Wikstrand, J. & Fagerberg, B. Carotid and femoral atherosclerosis, cardiovascular risk factors and C-reactive protein in relation to smokeless tobacco use or smoking in 58-year- old men, 492
Weitz, J. *see* Wells, P.S.
Wells, P.S., Ginsberg, J.S., Anderson, D.R., Kearon, C., Gent, M., Weitz, J., Barnes, D. & Hirsh, J. Utility of ultrasound imaging of the lower extremities in the diagnostic approach in patients with suspected pulmonary embolism, 262
Westin, G. *see* Correa, P.
Wiggers, H. *see* Svendstrup, L.
Wikstrand, J. *see* Wallenfeldt, K.
Wilhelmsen, L., Rosengren, A. & Lappas, G. Hospitalizations for atrial fibrillation in the general male population: morbidity and risk factors, 382
Wolfe, C.D.A. *see* Bhalla, A.
Wolk, A. *see* Messerer, M.
Wolk, A. *see* Terry, P.
Wuu, J. *see* Rastad, J.

Yamada, T., Komatsu, M., Sato, A., Komiya, I., Yamauchi, K., Aizawa, T. & Hashizume, K. Treatment of type 2 diabetes: the sooner, the better, 255
Yamauchi, K. *see* Yamada, T.
Y-Hassan, S. *see* Sarkar, N.
Ylä-Herttuala, S. Gene therapy for coronary heart disease, 367

Zilker, T. *see* Bornschein, S.